

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
 Trade name : SALTWATER SEA 483322BB
 Type of product : Perfumes, Fragrances
 Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Perfumes, Fragrances

1.3. Supplier's details

Manufacturer

Sensetek
 24 Village Crescent
 Linbro Business Park, Sandton
 P.O. Box PO Box 2598
 2065 Gauteng,
 T +27 11 608 4944/5
sales@sensetek.biz - www.sensetek.co.za

1.4. Emergency telephone number

Emergency number : +27 83 382 1905

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids, Category 4 H227
 Skin corrosion/irritation, Category 3 H316
 Skin sensitisation, Category 1 H317
 Reproductive toxicity, Category 2 H361
 Hazardous to the aquatic environment — Acute Hazard, Category 2 H401
 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411
 Full text of H statements : see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS-ZA) :



Signal word (GHS-ZA) : Warning

Hazardous ingredients : 2-Hexyl-(E)-cinnamaldehyde; d-Limonene; Linalool; Turpentine oil; Eucalyptol; 2-Methyl-3-(p-isopropylphenyl)propionaldehyde; 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde; Lauric aldehyde; 2-Methylundecanal; p-t-Butyl-alpha-methylhydrocinnamic aldehyde; BENZYL SALICYLATE; Acetyl cedrene; Cedryl acetate; GERANIOL; HEXYL SALICYLATE; alpha-Methyl-1,3-benzodioxole-5-propionaldehyde; Hydroxycitronellal; alpha-iso-Methylionone; Citral; Linalool; Linalyl acetate; d-Limonene; alpha-Amyl trans-Cinnamaldehyde; 4-tert-Butylcyclohexyl acetate

Hazard statements (GHS-ZA) : H227 - Combustible liquid
 H316 - Causes mild skin irritation
 H317 - May cause an allergic skin reaction.
 H361 - Suspected of damaging fertility or the unborn child.
 H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (GHS-ZA) : P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 - Avoid breathing vapours, spray, mist.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves, eye protection, protective clothing.

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

P302+P352 - IF ON SKIN: Wash with plenty of water.
P308+P313 - IF exposed or concerned: Get medical attention, medical advice.
P321 - Specific treatment (see supplemental first aid instruction on this label).
P332+P313 - If skin irritation occurs: Get medical advice, medical attention.
P333+P313 - If skin irritation or rash occurs: Get medical attention, medical advice.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use alcohol resistant foam, carbon dioxide (CO₂), dry extinguishing powder to extinguish.
P391 - Collect spillage.
P403 - Store in a well-ventilated place.
P405 - Store locked up.
P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Suspected of damaging fertility or the unborn child, Causes mild skin irritation, May cause an allergic skin reaction, Toxic to aquatic life, Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Isobornyl acetate	(CAS-No.) 125-12-2	6.36 – 6.51	Flam. Liq. 4, H227 Skin Irrit. 3, H316 Aquatic Acute 2, H401
2-Hexyl-(E)-cinnamaldehyde	(CAS-No.) 165184-98-5	3.51	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
BENZYL SALICYLATE	(CAS-No.) 118-58-1	3.3264	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Eye Irrit. 2B, H320 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
d-Limonene	(CAS-No.) 5989-27-5	2.646	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalool	(CAS-No.) 78-70-6	2.2273 – 2.5073	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 3, H402
Terpineol	(CAS-No.) 8000-41-7	1.69 – 1.97	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
Diethyl phthalate	(CAS-No.) 84-66-2	1.2 – 1.5	Flam. Liq. Not classified
Turpentine oil	(CAS-No.) 8006-64-2	1.215	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Benzyl acetate	(CAS-No.) 140-11-4	1.08	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Skin Irrit. 3, H316 Aquatic Acute 2, H401 Aquatic Chronic 3, H412

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
d-Limonene	(CAS-No.) 5989-27-5	0.6 – 0.9	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
p-t-Butyl-alpha-methylhydrocinnamic aldehyde	(CAS-No.) 80-54-6	0.729	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	(CAS-No.) 103-95-7	0.34 – 0.62	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Acetyl cedrene	(CAS-No.) 32388-55-9	0.5832	Flam. Liq. 4, H227 Skin Irrit. 3, H316 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Eucalyptol	(CAS-No.) 470-82-6	0.5535	Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 Skin Irrit. 3, H316 Skin Sens. 1, H317 Aquatic Acute 3, H402
Cedryl acetate	(CAS-No.) 77-54-3	0.4671	Flam. Liq. 4, H227 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde	(CAS-No.) 68039-49-6	0.246 – 0.366	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Hydroxycitronellal	(CAS-No.) 107-75-5	0.07 – 0.35	Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. 4 (Dermal), H312 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 3, H402
alpha-iso-Methylionone	(CAS-No.) 127-51-5	0.07 – 0.35	Flam. Liq. Not classified Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Diethyl phthalate	(CAS-No.) 84-66-2	0.07 – 0.35	Flam. Liq. 4, H227 Skin Irrit. 3, H316 Aquatic Acute 3, H402
alpha-Methyl-1,3-benzodioxole-5-propionaldehyde	(CAS-No.) 1205-17-0	0.1096 – 0.1726	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
GERANIOL	(CAS-No.) 106-24-1	0.1566	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 3, H402
HEXYL SALICYLATE	(CAS-No.) 6259-76-3	0.1566	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Citral	(CAS-No.) 5392-40-5	0.03 – 0.15	Flam. Liq. Not classified Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Skin Sens. 1, H317
Linalool	(CAS-No.) 78-70-6	0.03 – 0.15	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Skin Irrit. 2, H315 Skin Sens. 1B, H317

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Name	Product identifier	%	Classification according to the United Nations GHS
Linalyl acetate	(CAS-No.) 115-95-7	0.03 – 0.15	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1B, H317
alpha-Amyl trans-Cinnamaldehyde	(CAS-No.) 78605-96-6	0.03 – 0.15	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Skin Irrit. 3, H316 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
4-tert-Butylcyclohexyl acetate	(CAS-No.) 32210-23-4	0.03 – 0.15	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Skin Sens. 1, H317 Aquatic Acute 2, H401
2-Methylundecanal	(CAS-No.) 110-41-8	0.111 – 0.138	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Lauric aldehyde	(CAS-No.) 112-54-9	0.108	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
Diphenyl ether	(CAS-No.) 101-84-8	0.003 – 0.03	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Eye Irrit. 2B, H320 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : IF exposed or concerned: Get medical advice/attention.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Combustible liquid.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing vapours, spray, mist.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing vapours, spray, mist.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.
--------------------	---

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Turpentine oil (8006-64-2)	
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Turpentine
OEL TWA (mg/m ³)	560 mg/m ³
OEL TWA (ppm)	100 ppm
OEL STEL (mg/m ³)	840 mg/m ³
OEL STEL (ppm)	150 ppm
Regulatory reference	Government Notice No. R 904
Diethyl phthalate (84-66-2)	
South Africa - Occupational Exposure Limits (Recommended Limits)	
Local name	Diethyl phthalate
OEL TWA (mg/m ³)	5 mg/m ³
OEL STEL (mg/m ³)	10 mg/m ³
Regulatory reference	Government Notice. R: 1179
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Diethyl phthalate
OEL TWA (mg/m ³)	5 mg/m ³
OEL STEL (mg/m ³)	10 mg/m ³
Regulatory reference	Government Notice No. R 904
Diethyl phthalate (84-66-2)	
South Africa - Occupational Exposure Limits (Recommended Limits)	
Local name	Diethyl phthalate
OEL TWA (mg/m ³)	5 mg/m ³
OEL STEL (mg/m ³)	10 mg/m ³
Regulatory reference	Government Notice. R: 1179
Diphenyl ether (101-84-8)	
South Africa - Occupational Exposure Limits (Recommended Limits)	
Local name	Diphenyl ether (vapour)
OEL TWA (mg/m ³)	7 mg/m ³
OEL TWA (ppm)	1 ppm
Regulatory reference	Government Notice. R: 1179
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Phenyl ether (Diphenyl ether)
OEL TWA (mg/m ³)	7 mg/m ³ vapour
OEL TWA (ppm)	1 ppm vapour
Regulatory reference	Government Notice No. R 904

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
----------------------------------	--

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : No data available
Colour : No data available
Odour : characteristic.
Odour threshold : No data available
pH : No data available
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Vapour pressure at 50 °C : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available
Relative density of saturated gas/air mixture : No data available
Density : No data available
Relative gas density : No data available
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Partition coefficient n-octanol/water (Log Kow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available
Lower explosive limit (LEL) : No data available
Upper explosive limit (UEL) : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

2-Hexyl-(E)-cinnamaldehyde (165184-98-5)

LD50 oral	3100 mg/kg bodyweight
-----------	-----------------------

d-Limonene (5989-27-5)

LD50 oral rat	2000 mg/kg bodyweight
---------------	-----------------------

Linalool (78-70-6)

LD50 oral	2790 mg/kg bodyweight
-----------	-----------------------

LD50 dermal rabbit	5610 mg/kg bodyweight
--------------------	-----------------------

Terpineol (8000-41-7)

LD50 oral	4300 mg/kg bodyweight
-----------	-----------------------

Turpentine oil (8006-64-2)

LD50 oral	500 mg/kg bodyweight
-----------	----------------------

LD50 dermal	1100 mg/kg bodyweight
-------------	-----------------------

LC50 Inhalation - Rat (Vapours)	13.7 mg/l/4h
---------------------------------	--------------

Benzyl acetate (140-11-4)

LD50 oral	2490 mg/kg bodyweight
-----------	-----------------------

Eucalyptol (470-82-6)

LD50 oral	2480 mg/kg bodyweight
-----------	-----------------------

2-Methyl-3-(p-isopropylphenyl)propionaldehyde (103-95-7)

LD50 oral	3810 mg/kg bodyweight
-----------	-----------------------

2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde (68039-49-6)

LD50 oral	3900 mg/kg bodyweight
-----------	-----------------------

p-t-Butyl-alpha-methylhydrocinnamic aldehyde (80-54-6)

LD50 oral	1390 mg/kg bodyweight
-----------	-----------------------

BENZYL SALICYLATE (118-58-1)

LD50 oral	2200 mg/kg bodyweight
-----------	-----------------------

Acetyl cedrene (32388-55-9)

LD50 oral	4500 mg/kg bodyweight
-----------	-----------------------

GERANIOL (106-24-1)

LD50 oral	3600 mg/kg bodyweight
-----------	-----------------------

LD50 dermal rabbit	5000 mg/kg
--------------------	------------

alpha-Methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)

LD50 oral	3550 mg/kg bodyweight
-----------	-----------------------

Hydroxycitronellal (107-75-5)

LD50 oral rat	6400 mg/kg bodyweight
---------------	-----------------------

LD50 dermal rabbit	2000 mg/kg bodyweight
--------------------	-----------------------

4-tert-Butylcyclohexyl acetate (32210-23-4)

LD50 oral	3370 mg/kg bodyweight
-----------	-----------------------

Citral (5392-40-5)

LD50 dermal	2250 mg/kg bodyweight
-------------	-----------------------

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

alpha-Amyl trans-Cinnamaldehyde (78605-96-6)	
LD50 oral	3730 mg/kg bodyweight
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight
Diphenyl ether (101-84-8)	
LD50 oral	2900 mg/kg bodyweight

Skin corrosion/irritation	: Causes mild skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

2-Hexyl-(E)-cinnamaldehyde (165184-98-5)	
Partition coefficient n-octanol/water (Log Kow)	5.3 from ECHA
Partition coefficient n-octanol/water (Log Pow)	5.3 from ECHA

d-Limonene (5989-27-5)	
LC50 fish 1	460 – 720 µg/l
EC50 Daphnia 1	307 – 510 µg/l
Partition coefficient n-octanol/water (Log Pow)	4.38

Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l
EC50 Daphnia 1	59 mg/l
Partition coefficient n-octanol/water (Log Pow)	2.9

Eucalyptol (470-82-6)	
LC50 fish 1	57 mg/l
EC50 Daphnia 1	100 mg/l
EC50 72h algae (1)	74 – 100 mg/l
Partition coefficient n-octanol/water (Log Pow)	3.4

GERANIOL (106-24-1)	
LC50 fish 1	22 mg/l
EC50 Daphnia 1	10.8 mg/l
EC50 72h algae (1)	13.1 mg/l
Partition coefficient n-octanol/water (Log Pow)	2.6

Hydroxycitronellal (107-75-5)	
LC50 fish 1	31.6 mg/l
EC50 Daphnia 1	410 mg/l
EC50 72h algae (1)	123.32 mg/l
Partition coefficient n-octanol/water (Log Pow)	1.68

12.2. Persistence and degradability

SALTWATER SEA 483322BB	
Persistence and degradability	No additional information available

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

12.3. Bioaccumulative potential

SALTWATER SEA 483322BB	
Bioaccumulative potential	No additional information available
2-Hexyl-(E)-cinnamaldehyde (165184-98-5)	
Partition coefficient n-octanol/water (Log Pow)	5.3 from ECHA
Partition coefficient n-octanol/water (Log Kow)	5.3 from ECHA
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.9
Eucalyptol (470-82-6)	
Partition coefficient n-octanol/water (Log Pow)	3.4
GERANIOL (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6
Hydroxycitronellal (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68

12.4. Mobility in soil

SALTWATER SEA 483322BB	
Mobility in soil	No additional information available
2-Hexyl-(E)-cinnamaldehyde (165184-98-5)	
Partition coefficient n-octanol/water (Log Pow)	5.3 from ECHA
Partition coefficient n-octanol/water (Log Kow)	5.3 from ECHA
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38
Linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.9
Eucalyptol (470-82-6)	
Partition coefficient n-octanol/water (Log Pow)	3.4
GERANIOL (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6
Hydroxycitronellal (107-75-5)	
Partition coefficient n-octanol/water (Log Pow)	1.68

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
3082	3082	3082
14.2. Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.
14.3. Transport hazard class(es)		
9	9	9
		 Not applicable

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	IATA
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available		

14.6. Special precautions for user

- SANS

Special provisions (SANS)	: 179, 274, 331, 335
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs	: P001, IBC03, LP01
Packing instructions (SANS)	
Packagings, large packagings and IBCs Special packing instructions (SANS)	: PP1
Portable tank and bulk containers instructions (SANS)	: T4
Portable tank and bulk container special provisions (SANS)	: TP1, TP29

- IMDG

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

- IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Regulatory reference	: SANS 10234:2019; SANS 11014:2010; SANS 10228:2012;SANS 10229:2010; SANS 10232(1,2,4), SANS 10231:2018; Occupational Health and Safety Act 85 of 1993; National Road Traffic Act 93 of 1996.
----------------------	---

SECTION 16: Other information

Issue date : 05/10/2020

Full text of H-statements:

H226	Flammable liquid and vapour.
H227	Combustible liquid
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.

SALTWATER SEA 483322BB

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.