

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
 Trade name : Vanilla Coconut and Musk
 Type of product : Cosmetic product
 Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Supplier's details

Manufacturer

Sensetek
 24 Village Crescent
 Linbro Business Park, Sandton
 P.O. Box PO Box 2598
 2065 Gauteng,
 T +27 11 608 4944/5
sales@sensetek.biz - www.sensetek.co.za

1.4. Emergency telephone number

Emergency number : +27 83 382 1905

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids, Category 4 H227
 Skin sensitisation, Category 1 H317
 Reproductive toxicity, Category 2 H361
 Hazardous to the aquatic environment — Acute Hazard, Category 2 H401
 Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411
 Full text of H statements : see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS-ZA) :



Signal word (GHS-ZA) : Warning

Hazardous ingredients : GERANIOL; p-t-Butyl-alpha-methylhydrocinnamic aldehyde; 3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde; Coumarin; Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene; Methyl atrarate; trans-Anethole

Hazard statements (GHS-ZA) : H227 - Combustible liquid
 H317 - May cause an allergic skin reaction.
 H361 - Suspected of damaging fertility or the unborn child (Inhalation, Dermal, oral).
 H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (GHS-ZA) : P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P261 - Avoid breathing vapours, spray, mist.
 P272 - Contaminated work clothing should not be allowed out of the workplace.
 P273 - Avoid release to the environment.
 P280 - Wear protective clothing, eye protection, face protection.
 P302+P352 - IF ON SKIN: Wash with plenty of water.
 P308+P313 - IF exposed or concerned: Get medical advice, medical attention.
 P321 - Specific treatment (see supplemental first aid instruction on this label).
 P333+P313 - If skin irritation or rash occurs: Get medical advice, medical attention.
 P362+P364 - Take off contaminated clothing and wash it before reuse.
 P370+P378 - In case of fire: Use dry extinguishing powder, foam to extinguish.
 P391 - Collect spillage.

Vanilla Coconut and Musk

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

P403 - Store in a well-ventilated place.
P405 - Store locked up.
P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Suspected of damaging fertility. Suspected of damaging the unborn child. (if inhaled, if swallowed, in contact with skin), May cause an allergic skin reaction, Toxic to aquatic life, Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Benzyl benzoate	(CAS-No.) 120-51-4	13.8146 – 14.4146	Flam. Liq. Not classified Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Vanillin	(CAS-No.) 121-33-5	3.1895 – 3.9395	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
Oxacyclohexadecen-2-one	(CAS-No.) 34902-57-3	0.75 – 1.5	Flam. Liq. Not classified Aquatic Acute 1, H400 Aquatic Chronic 2, H411
3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde	(CAS-No.) 31906-04-4	0.2952 – 0.8952	Flam. Liq. 4, H227 Skin Sens. 1, H317 Aquatic Acute 3, H402
Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododecatriene	(CAS-No.) 144020-22-4	0.15 – 0.75	Flam. Liq. 4, H227 Skin Irrit. 3, H316 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Coumarin	(CAS-No.) 91-64-5	0.35 – 0.55	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 3, H402
Diethyl phthalate	(CAS-No.) 84-66-2	0.3	Flam. Liq. 4, H227 Skin Irrit. 3, H316 Aquatic Acute 3, H402
GERANIOL	(CAS-No.) 106-24-1	0.2502	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 3, H402
p-t-Butyl-alpha-methylhydrocinnamic aldehyde	(CAS-No.) 80-54-6	0.2502	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Methyl atrarate	(CAS-No.) 4707-47-5	0.015 – 0.15	Skin Sens. 1, H317 Aquatic Acute 2, H401
trans-Anethole	(CAS-No.) 4180-23-8	0.015 – 0.15	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Skin Irrit. 3, H316 Skin Sens. 1B, H317 Aquatic Acute 2, H401

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact : Rinse eyes with water as a precaution.
First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Vanilla Coconut and Musk

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing vapours.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes. Avoid breathing vapours.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Diethyl phthalate (84-66-2)	
South Africa - Occupational Exposure Limits (Recommended Limits)	
Local name	Diethyl phthalate
OEL TWA (mg/m ³)	5 mg/m ³
OEL STEL (mg/m ³)	10 mg/m ³
Regulatory reference	Government Notice. R: 1179
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Diethyl phthalate
OEL TWA (mg/m ³)	5 mg/m ³
OEL STEL (mg/m ³)	10 mg/m ³
Regulatory reference	Government Notice No. R 904

Vanilla Coconut and Musk

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : [In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : No data available
Colour : No data available
Odour : characteristic.
Odour threshold : No data available
pH : No data available
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Vapour pressure at 50 °C : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available
Relative density of saturated gas/air mixture : No data available
Density : No data available
Relative gas density : No data available
Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Partition coefficient n-octanol/water (Log Kow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available
Lower explosive limit (LEL) : No data available
Upper explosive limit (UEL) : No data available

9.2. Other information

No additional information available

Vanilla Coconut and Musk

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

GERANIOL (106-24-1)	
LD50 oral	3600 mg/kg bodyweight
LD50 dermal rabbit	5000 mg/kg
p-t-Butyl-alpha-methylhydrocinnamic aldehyde (80-54-6)	
LD50 oral	1390 mg/kg bodyweight
Coumarin (91-64-5)	
LD50 oral	500 mg/kg bodyweight
Vanillin (121-33-5)	
LD50 oral	3500 mg/kg bodyweight
LD50 dermal rat	2000 mg/kg bodyweight
Benzyl benzoate (120-51-4)	
LD50 oral rat	2000 mg/kg bodyweight
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	2 ml/kg
LD50 dermal	4000 mg/kg bodyweight
trans-Anethole (4180-23-8)	
LD50 oral	3000 mg/kg bodyweight

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility or the unborn child (Inhalation, Dermal, oral).

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute) : Toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

Vanilla Coconut and Musk

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

GERANIOL (106-24-1)	
LC50 fish 1	22 mg/l
EC50 Daphnia 1	10.8 mg/l
EC50 72h algae (1)	13.1 mg/l
Partition coefficient n-octanol/water (Log Pow)	2.6

Vanillin (121-33-5)	
LC50 fish 1	83.7 (57 – 123) mg/l
EC50 Daphnia 1	36.79 mg/l
EC50 72h algae (1)	120 mg/l
Partition coefficient n-octanol/water (Log Pow)	1.17

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l
EC50 Daphnia 1	3.09 mg/l
Partition coefficient n-octanol/water (Log Pow)	3.97

12.2. Persistence and degradability

Vanilla Coconut and Musk	
Persistence and degradability	No additional information available

12.3. Bioaccumulative potential

Vanilla Coconut and Musk	
Bioaccumulative potential	No additional information available

GERANIOL (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6

Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17

Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97

12.4. Mobility in soil

Vanilla Coconut and Musk	
Mobility in soil	No additional information available

GERANIOL (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6

Vanillin (121-33-5)	
Partition coefficient n-octanol/water (Log Pow)	1.17

Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	3.97

12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

SECTION 14: Transport information




In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
3082	3082	3082
14.2. Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	Environmentally hazardous substance, liquid, n.o.s.
14.3. Transport hazard class(es)		
9	9	9

Vanilla Coconut and Musk

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	IATA
		 Not applicable
14.4. Packing group		
III	III	III
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available		

14.6. Special precautions for user

- SANS

Special provisions (SANS)	: 179, 274, 331, 335
Limited quantities (SANS)	: 5 L
Limited quantities (SANS)	: 5 L
Packagings, large packagings and IBCs	: P001, IBC03, LP01
Packing instructions (SANS)	
Packagings, large packagings and IBCs Special packing instructions (SANS)	: PP1
Portable tank and bulk containers instructions (SANS)	: T4
Portable tank and bulk container special provisions (SANS)	: TP1, TP29

- IMDG

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A

- IATA

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

Regulatory reference	: SANS 10234:2019; SANS 11014:2010; SANS 10228:2012; SANS 10229:2010; SANS 10232(1,2,4), SANS 10231:2018; Occupational Health and Safety Act 85 of 1993; National Road Traffic Act 93 of 1996.
----------------------	--

SECTION 16: Other information

Issue date	: 28/09/2020
------------	--------------

Vanilla Coconut and Musk

Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements:

H227	Combustible liquid
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation
H331	Toxic if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.